APPENDIX A

Site Furnishings



◄ SL SR16-CA features a surface mounted cast aluminum ballast housing for ease of installation.

► SL SR24H3-T with a TRA 17 arm shown in "Weathered Bronze" powder coat finish. The TRA 17 arm features a brushed aluminum strap. The precision, cutoff reflector system provides unmatched lighting performance and glare control.



SCALE: 1/4"=1'

TYPICAL CONFIGURATIONS



HEAD	SL SR24GR3-T	2-SL SR24H4-S	SL SR24-T	2-SL SR24GR5-T	SL SR16-CA
ARM	WMA 16	•	SLA 4	SLA20A-2	•
POLE	•	PR5-5R18	PR4-4R9	DB6-4R15	
OPTIONS	•	BC7-5, FLAG HOLDER	BC2-4	•	

Victor Stanley, Inc.

P.O. DRAWER 330 - DUNKIRK, MD 20754 USA
TEL (301) 855-8300 - FAX (410) 257-7579

PG 1 | OF 1

PRODUCT SPECIFICATIONS

CADD Department	VIEWS 7
DRAWN B.K.S.	REV. 5/8/96

C-30 CLASSIC SERIES

Standard 6 Foot length

For your convenience and economy, this bench is shipped partially unassembled.



FRONT VIEW

Ductile Iron frames are pre-drilled with the appropriate hole pattern to mount the wood slats

UNDER VIEW



* Custom lettering is available for the C-30 and C-38 cast directly into the frame for a special location or a place to be commemorated *

Center-to-center distances are approximate. (variations in castings arise from different rates of cooling)

13-each 2 x 3 (nominal) slots are properly positioned to provide elegant and comfortable seat panel

ISOMETRIC



LAG-SCREW DETAIL

1-1/2" long x 1/4" diameter decranent coated lag screws fasten slots to steel supports from underneath. Special vandal resistant drive tool is provided.





* US Patent Pending *

Clearance for 1/2" diameter anchor bolt. (Anchor bolts provided by others)

BOLT DETAIL



1-5/16 diameter cross bar is bolted using (2) 1-1/2" long, zinc plated hex head bolts

All specifications are subject to change. Please contact factory for details.

Note:
** It is NOT recommended that anchor bolts be located until assembled benches are in place **

Copyright 1996 Victor Stanley, Inc. All Rights Reserved

Cross bar bolts are inserted thru holes in castings



CUT SECTION C-30 CASTING INNER VIEW

* Ductile Iron castings come with a 5 year warranty against breakage *

Victor Stanley, Inc.
P.O. DRAWER 330 - DUNKIRK, MD 20754 USA
TEL (301) 855-8300 - FAX (410) 257-7579

PG 1 | OF 1

PRODUCT SPECIFICATIONS

CADD Department	VIEWS 7
DRAWN R.D.N.	REV. 1/27/97

C-40 CLASSIC SERIES Standard 6 Foot Length

For your convenience and economy this bench is shipped partially unassembled



FRONT VIEW

Center to center distance is approximate. (variations in castings arise from different rates of cooling)

Ductile Iron castings come with a 5 year warranty against breakage

All fabricated components are steel shot-blasted, etched, phosphatized and electrostatically powder-coated with TGIC polyester powder coatings.

All specifications are subject to change. Please contact factory for details.

The C-40 frames are pre-drilled with the appropriate hole pattern to mount the (13) 2" x 3" (nominal) woodslots



PERSPECTIVE

* Custom lettering cast directly in individual castings is available *

1/2" I.D. anchor bolt holes (Anchor Bolts provided by others)

HEX-HEAD CAP BOLT DETAIL

1-5/16" Dioneter cross bar is bolted using (2) 1-1/2" long, zinc plated hex head bolts

Casting dimensions vary slightly.



CASTING DETAIL

Copyright 1997 Victor Stanley, Inc. All Rights Reserved.
*** U.S. PATENT PENDING ***

Ductile Iron Frames are pre-drilled with the appropriate hole pattern to mount the woodslots from behind

UNDER VIEW



It is not recommended to locate anchor bolts until assembled bench is in place.

SCREW DETAIL

1-1/2" x 1/4" O.D. vandel resistant lag screws fasten wood slots to brace from underneath.





REH



SYSTEMS



TRANSIT BAY



BAY



BASIC



PROMENADE



PEDESTRIAN



STANDARD





STANDARD PRODUCT:

1. ALUMINUM CASTING, POWDER COATED
2. STEEL CROSS SUPPORTS, POWDER COATED
3. 3 SOLID BRASS NUTS EACH END
4. WOOD V.G. FIR WITH #718 OLYMPIC STAIN.

SHOP DRAWINGS

URBAN ACCESSORIES
20004 144TH AVE NE WOODINVILLE
WA, 98072
TEL:(206) 487-0488
FAX:(206) 568-3033

BAY BENCH

PROJECT:

JOB# SHEET# DATE:10/11/93

DR:G.ROSE CK BY: SCALE:NONE

MATERIALALUM/WOOD DR#