


CURVE 2
CURB
 $\Delta = 10^{\circ}11'39''$
 $R_2 = 48.50'$
 $L = 8.63'$
 $T = 4.33'$

PROPERTY
 $\Delta = 10^{\circ}11'39''$
 $R_3 = 55.50'$
 $L = 9.87'$
 $T = 4.95'$



CURVE 1
CURB
 $\Delta = 10^{\circ}11'39''$
 $R_1 = 100'$
 $L = 17.79'$
 $T = 8.92'$

NOTES:

1. MINIMUM FLOWLINE GRADE SHALL BE 0.6%.
2. CURB CONSTRUCTION SHALL BE PER STANDARD DRAWING NUMBER 1201.
3. SIDEWALK CONSTRUCTION SHALL BE PER STANDARD DRAWING NUMBER 1209, OR 1210 AS DETERMINED BY THE CITY ENGINEER.



APPROVED BY: <i>John P. Sullivan</i>				
JOHN P. SULLIVAN CITY ENGINEER 24079 8/08/06				
RCE DATE				
RECOMMENDED: <i>Jim Minich</i>				
JIM MINICH 33340 8/07/06				
ASSISTANT CITY ENGINEER RCE DATE				
REV	DESCRIPTION	BY	APP'D	DATE

CITY OF ONTARIO

COLLECTOR
CUL-DE-SAC

STANDARD
DRAWING
NUMBER

1102