



**CITY OF ONTARIO
BUILDING DEPARTMENT**
303 East B Street
Ontario, CA 91764
Ph (909)395-2023, Fax (909)395-2180

**INFORMATION
BULLETIN
300**
Effective: 1 / 1 / 2011
Revised: 3 / 2 / 2011

INDUSTRIAL/COMMERCIAL/MULTI-FAMILY SUBMITTAL REQUIREMENTS

NUMBER OF SETS OF PLANS AND OTHER INFORMATION REQUIRED AT INITIAL SUBMITTAL:

- a. Three sets of architectural/structural/mechanical/plumbing/electrical plans, wet-stamped and signed by architect or engineer (one set each will be routed to Planning and Fire Departments).
Exception: Mechanical/plumbing/electrical plans may be wet-signed by the designer that prepared them.
- b. One set of structural calculation and soils report (if any) wet-stamped and signed by an engineer.
- c. One set of energy calculations wet-signed by the designer that prepared them.
- d. One set of prefabricated truss plan and calculation if used.
- e. One set of acoustical analysis when required by the Development Advisory Board (DAB).



TO BE SUBMITTED SEPARATELY FROM ARCHITECTURAL/STRUCTURAL PLANS:

- a. Three sets of site security lighting plans including photometric to be routed to the Police Department.
- b. Four sets of landscape plans to be routed to Public Facilities and Planning Department.

TO BE SUBMITTED SEPARATELY FROM OR WITH THE ARCHITECTURAL AND STRUCTURAL DRAWINGS:

- a. Two sets of site walls plans as specified by the DAB approved site plan, together with one set of structural calculation wet-stamped and signed by an engineer.
- b. One set of electrical plans with site plans for light pole bases, and one set of structural calculation. Plans shall be wet-signed by the designer and calculation shall be wet-stamped and signed by an engineer.

ARCHITECTURAL/STRUCTURAL PLANS, DRAWN ON 18" X 24" OR LARGER PAPER, SHALL INCLUDE THE FOLLOWING:

1. All mechanical, electrical, and plumbing work.
2. Site plan showing location of parking, disabled access, and building entrances.
3. A building design summary specifying the type of construction, occupancy, sprinkler requirement, fire-rated construction, division wall (if any), etc.
4. Compliance with disabled access requirements e.g. main entrance, path of travel from public sidewalk/parking, restrooms, drinking fountain and telephone if provided, etc.
5. Floor and roof plans, building elevations, building sections, door and window schedules, and details.
6. Structural foundation, floor and roof framing plans, member sizes, and construction details.
7. Compliance with 2010 *CALGreen* code requirements for newly constructed buildings or structures only.

Note: DAB number and conditions preferably should be provided and attached to the architectural/structural plans at their initial submittal. If they are not provided at that time, additional plan check fees may be assessed later if the Building Department has to recheck plans for design changes triggered by the DAB conditions.